

SEQUENCE LISTING

<110> YOKOYAMA, SIGEYUKI
 HOSEKI, JUN
 YANO, TAKATO
 KOYAMA, YOSHINORI
 KURAMITSU, SEIKI
 KAGAMIYAMA, HIROYUKI

<120> MUTANT KANAMYCIN NUCLEOTIDYLTRANSFERASE AND A METHOD
 OF SCREENING THERMOPHILIC BACTERIA USING THE SAME

<130> 04853.0048-000000

<140> 09/697,186
 <141> 2000-10-27

<150> JP 309616/1999
 <151> 1999-10-29

<160> 20

<170> PatentIn Ver. 2.1

<210> 1
 <211> 253
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Mutant enzyme
 obtained by introduction of point mutation into
 wild type KNT gene of Staphylococcus aureus and
 its expression

<400> 1
 Met Asn Gly Pro Ile Ile Met Thr Arg Glu Glu Arg Met Lys Ile Val
 1 5 10 15
 His Glu Ile Lys Glu Arg Ile Leu Asp Lys Tyr Gly Asp Asp Val Lys
 20 25 30
 Ala Ile Gly Val Tyr Gly Ser Leu Gly Arg Gln Thr Asp Gly Pro Tyr
 35 40 45
 Ser Asp Ile Glu Met Met Cys Val Met Ser Thr Glu Glu Ala Glu Phe
 50 55 60
 Ser His Glu Trp Thr Thr Gly Glu Trp Lys Val Glu Val Asn Phe Tyr
 65 70 75 80
 Ser Glu Glu Ile Leu Leu Asp Tyr Ala Ser Gln Val Glu Ser Asp Trp
 85 90 95
 Pro Leu Thr His Gly Gln Phe Phe Ser Ile Leu Pro Ile Tyr Asp Ser
 100 105 110

Gly Gly Tyr Leu Glu Lys Val Tyr Gln Thr Ala Lys Ser Val Glu Ala
 115 120 125
 Gln Lys Phe His Asp Ala Ile Cys Ala Leu Ile Val Glu Glu Leu Phe
 130 135 140
 Glu Tyr Ala Gly Lys Trp Arg Asn Ile Arg Val Gln Gly Pro Thr Thr
 145 150 155 160
 Phe Leu Pro Ser Leu Thr Val Gln Val Ala Met Ala Gly Ala Met Leu
 165 170 175
 Ile Gly Leu His His Arg Ile Cys Tyr Thr Thr Ser Ala Ser Val Leu
 180 185 190
 Thr Glu Ala Val Lys Gln Ser Asp Leu Pro Ser Gly Tyr Asp His Leu
 195 200 205
 Cys Gln Phe Val Met Ser Gly Gln Leu Ser Asp Ser Glu Lys Leu Leu
 210 215 220
 Glu Ser Leu Glu Asn Phe Trp Asn Gly Ile Gln Glu Trp Thr Glu Arg
 225 230 235 240
 His Gly Tyr Ile Val Asp Val Ser Lys Arg Ile Pro Phe
 245 250

<210> 2

<211> 253

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Mutant enzyme obtained by introduction of point mutation into wild type KNT gene of Staphylococcus aureus and its expression

<400> 2

Met Lys Gly Pro Ile Ile Met Thr Arg Glu Glu Arg Met Lys Ile Val
 1 5 10 15
 His Glu Ile Lys Glu Arg Ile Leu Asp Lys Tyr Gly Asp Asp Val Lys
 20 25 30
 Ala Ile Gly Val Tyr Gly Ser Leu Gly Arg Gln Thr Asp Gly Pro Tyr
 35 40 45
 Ser Asp Ile Glu Met Met Cys Val Met Ser Thr Glu Gly Ala Glu Phe
 50 55 60
 Ser Tyr Glu Trp Thr Thr Gly Glu Trp Lys Ala Glu Val Asn Phe Tyr
 65 70 75 80
 Ser Glu Glu Ile Leu Leu Asp Tyr Ala Ser Arg Val Glu Ser Asp Trp
 85 90 95

Pro Leu Thr His Gly Arg Phe Phe Ser Ile Leu Pro Ile Tyr Asp Pro
 100 105 110

Gly Gly Tyr Phe Glu Lys Val Tyr Gln Thr Ala Lys Ser Val Glu Ala
 115 120 125

Gln Lys Phe His Asp Ala Ile Cys Ala Leu Ile Val Glu Glu Leu Phe
 130 135 140

Glu Tyr Ala Gly Lys Trp Arg Asn Ile Arg Val Gln Gly Pro Thr Thr
 145 150 155 160

Phe Leu Pro Ser Leu Thr Val Gln Val Ala Met Ala Gly Ala Met Leu
 165 170 175

Ile Gly Leu His His Arg Ile Cys Tyr Thr Thr Ser Ala Ser Val Leu
 180 185 190

Thr Glu Ala Val Lys Gln Pro Asp Leu Pro Ser Gly Tyr Asp His Leu
 195 200 205

Cys Gln Leu Val Met Ser Gly Gln Leu Ser Asp Ser Glu Lys Leu Leu
 210 215 220

Glu Ser Leu Glu Asn Phe Trp Asn Gly Ile Gln Glu Trp Thr Glu Arg
 225 230 235 240

His Gly Tyr Ile Val Asp Val Ser Lys Arg Ile Pro Phe
 245 250

<210> 3

<211> 253

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Mutant enzyme
 obtained by introduction of point mutation into
 wild type KNT gene of Staphylococcus aureus and
 its expression

<400> 3

Met Lys Gly Pro Ile Ile Met Thr Arg Glu Glu Arg Met Lys Ile Val
 1 5 10 15

His Glu Ile Lys Glu Arg Ile Leu Asp Lys Tyr Gly Asp Asp Val Lys
 20 25 30

Ala Ile Gly Val Tyr Gly Ser Leu Gly Arg Gln Thr Asp Gly Pro Tyr
 35 40 45

Ser Asp Ile Glu Met Met Cys Val Leu Ser Thr Glu Gly Val Glu Phe
 50 55 60

Ser Tyr Glu Trp Thr Thr Gly Glu Trp Lys Ala Glu Val Asn Phe Tyr
 65 70 75 80

```
<210> 4
<211> 35
<212> DNA
<213> Artificial Sequence
```

<220>
<223> Description of Artificial Sequence: Primer for PCR amplification

```
<400> 4
gactgtacgg gtaccggttg acggcggata tggta
```

35

```
<210> 5
<211> 35
<212> DNA
<213> Artificial Sequence
```

<220>
<223> Description of Artificial Sequence: Primer for
PCR amplification

```
<400> 5
gactgtacgc tgcagcgtaa ccaacatgat taaca
```

35

<210> 6
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer for
PCR amplification

<400> 6
gactgtacgg aattcgagct cgagcaaatac taaaa 35

<210> 7
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer for
subcloning of WT

<400> 7
gactgtacgc atatgaatgg accaataata atgac 35

<210> 8
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer for
subcloning of KT3-11 and HTK

<400> 8
gactgtacgc atatgaaagg accaataata atgac 35

<210> 9
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer for subcloning

<400> 9
gactgtacgc tcgagcgtaa ccaacatgat taaca 35

<210> 10
<211> 759
<212> DNA
<213> Staphylococcus aureus

<220>

<221> CDS

<222> (1)..(759)

<400> 10

gtg aat gga cca ata ata atg act aga gaa gaa aga atg aag att gtt	48
Met Asn Gly Pro Ile Ile Met Thr Arg Glu Glu Arg Met Lys Ile Val	
1 5 10 15	
cat gaa att aag gaa cga ata ttg gat aaa tat ggg gat gat gtt aag	96
His Glu Ile Lys Glu Arg Ile Leu Asp Lys Tyr Gly Asp Asp Val Lys	
20 25 30	
gct att ggt gtt tat ggc tct ctt ggt cgt cag act gat ggg ccc tat	144
Ala Ile Gly Val Tyr Gly Ser Leu Gly Arg Gln Thr Asp Gly Pro Tyr	
35 40 45	
tcg gat att gag atg atg tgt gtc atg tca aca gag gaa gca gag ttc	192
Ser Asp Ile Glu Met Met Cys Val Met Ser Thr Glu Glu Ala Glu Phe	
50 55 60	
agc cat gaa tgg aca acc ggt gag tgg aag gtg gaa gtg aat ttt gat	240
Ser His Glu Trp Thr Thr Gly Glu Trp Lys Val Glu Val Asn Phe Asp	
65 70 75 80	
agc gaa gag att cta cta gat tat gca tct cag gtg gaa tca gat tgg	288
Ser Glu Glu Ile Leu Leu Asp Tyr Ala Ser Gln Val Glu Ser Asp Trp	
85 90 95	
ccg ctt aca cat ggt caa ttt ttc tct att ttg ccg att tat gat tca	336
Pro Leu Thr His Gly Gln Phe Phe Ser Ile Leu Pro Ile Tyr Asp Ser	
100 105 110	
ggg gga tac tta gag aaa gtg tat caa act gct aaa tcg gta gaa gcc	384
Gly Gly Tyr Leu Glu Lys Val Tyr Gln Thr Ala Lys Ser Val Glu Ala	
115 120 125	
caa acg ttc cac gat gcg att tgt gcc ctt atc gta gaa gag ctg ttt	432
Gln Thr Phe His Asp Ala Ile Cys Ala Leu Ile Val Glu Glu Leu Phe	
130 135 140	
gaa tat gca ggc aaa tgg cgt aat att cgt gtg caa gga ccg aca aca	480
Glu Tyr Ala Gly Lys Trp Arg Asn Ile Arg Val Gln Gly Pro Thr Thr	
145 150 155 160	
ttt cta cca tcc ttg act gta cag gta gca atg gca ggt gcc atg ttg	528
Phe Leu Pro Ser Leu Thr Val Gln Val Ala Met Ala Gly Ala Met Leu	
165 170 175	
att ggt ctg cat cat cgc atc tgt tat acg acg agc gct tcg gtc tta	576
Ile Gly Leu His His Arg Ile Cys Tyr Thr Thr Ser Ala Ser Val Leu	
180 185 190	
act gaa gca gtt aag caa tca gat ctt cct tca ggt tat gac cat ctg	624
Thr Glu Ala Val Lys Gln Ser Asp Leu Pro Ser Gly Tyr Asp His Leu	
195 200 205	

tgc cag ttc gta atg tct ggt caa ctt tcc gac tct gag aaa ctt ctg 672
 Cys Gln Phe Val Met Ser Gly Gln Leu Ser Asp Ser Glu Lys Leu Leu
 210 215 220

gaa tcg cta gag aat ttc tgg aat ggg att cag gag tgg aca gaa cga 720
 Glu Ser Leu Glu Asn Phe Trp Asn Gly Ile Gln Glu Trp Thr Glu Arg
 225 230 235 240

cac gga tat ata gtg gat gtg tca aaa cgc ata cca ttt 759
 His Gly Tyr Ile Val Asp Val Ser Lys Arg Ile Pro Phe
 245 250

<210> 11

<211> 253

<212> PRT

<213> Staphylococcus aureus

<400> 11

Met Asn Gly Pro Ile Ile Met Thr Arg Glu Glu Arg Met Lys Ile Val
 1 5 10 15

His Glu Ile Lys Glu Arg Ile Leu Asp Lys Tyr Gly Asp Asp Val Lys
 20 25 30

Ala Ile Gly Val Tyr Gly Ser Leu Gly Arg Gln Thr Asp Gly Pro Tyr
 35 40 45

Ser Asp Ile Glu Met Met Cys Val Met Ser Thr Glu Glu Ala Glu Phe
 50 55 60

Ser His Glu Trp Thr Thr Gly Glu Trp Lys Val Glu Val Asn Phe Asp
 65 70 75 80

Ser Glu Glu Ile Leu Leu Asp Tyr Ala Ser Gln Val Glu Ser Asp Trp
 85 90 95

Pro Leu Thr His Gly Gln Phe Phe Ser Ile Leu Pro Ile Tyr Asp Ser
 100 105 110

Gly Gly Tyr Leu Glu Lys Val Tyr Gln Thr Ala Lys Ser Val Glu Ala
 115 120 125

Gln Thr Phe His Asp Ala Ile Cys Ala Leu Ile Val Glu Glu Leu Phe
 130 135 140

Glu Tyr Ala Gly Lys Trp Arg Asn Ile Arg Val Gln Gly Pro Thr Thr
 145 150 155 160

Phe Leu Pro Ser Leu Thr Val Gln Val Ala Met Ala Gly Ala Met Leu
 165 170 175

Ile Gly Leu His His Arg Ile Cys Tyr Thr Thr Ser Ala Ser Val Leu
 180 185 190

Thr Glu Ala Val Lys Gln Ser Asp Leu Pro Ser Gly Tyr Asp His Leu
 195 200 205

Cys Gln Phe Val Met Ser Gly Gln Leu Ser Asp Ser Glu Lys Leu Leu
 210 215 220

Glu Ser Leu Glu Asn Phe Trp Asn Gly Ile Gln Glu Trp Thr Glu Arg
 225 230 235 240

His Gly Tyr Ile Val Asp Val Ser Lys Arg Ile Pro Phe
 245 250

<210> 12

<211> 253

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Mutant enzyme
 obtained by introduction of point mutation into
 wild type KNT gene of Staphylococcus aureus and
 its expression

<400> 12

Met Asn Gly Pro Ile Ile Met Thr Arg Glu Glu Arg Met Lys Ile Val
 1 5 10 15

Tyr Glu Ile Lys Glu Arg Ile Leu Asp Lys Tyr Gly Asp Asp Val Lys
 20 25 30

Ala Ile Gly Val Tyr Gly Ser Leu Gly Arg Gln Thr Asp Gly Pro Tyr
 35 40 45

Ser Asp Ile Glu Met Met Cys Val Met Ser Thr Glu Glu Ala Glu Phe
 50 55 60

Ser His Glu Trp Thr Thr Gly Glu Trp Lys Ala Glu Val Asn Phe Tyr
 65 70 75 80

Ser Glu Glu Ile Leu Leu Asp Tyr Ala Ser Arg Val Glu Ser Asp Trp
 85 90 95

Pro Leu Thr His Gly Arg Phe Phe Ser Ile Leu Pro Ile Tyr Asp Pro
 100 105 110

Gly Gly Tyr Phe Glu Lys Val Tyr Gln Thr Ala Lys Ser Val Glu Ala
 115 120 125

Gln Lys Phe His Asp Ala Ile Cys Ala Leu Ile Val Glu Glu Leu Phe
 130 135 140

Glu Tyr Ala Gly Lys Trp Arg Asn Ile Arg Val Gln Gly Pro Thr Thr
 145 150 155 160

Phe Leu Pro Ser Leu Thr Val Gln Val Ala Met Ala Gly Ala Met Leu
 165 170 175

Ile Gly Leu His His Arg Ile Cys Tyr Thr Thr Ser Ala Ser Val Leu
 180 185 190

Thr Glu Ala Leu Lys Gln Ser Asp Leu Pro Ser Gly Tyr Asp His Leu
195 200 205

Cys Gln Phe Val Met Ser Gly Gln Leu Ser Asp Ser Glu Lys Leu Leu
210 215 220

Glu Ser Leu Glu Asn Phe Trp Asn Gly Val Gln Glu Trp Ala Glu Arg
225 230 235 240

His Gly Tyr Ile Val Asp Val Ser Lys Arg Ile Pro Phe
245 250

<210> 13

<211> 253

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Mutant enzyme
obtained by introduction of point mutation into
wild type KNT gene of Staphylococcus aureus and
its expression

<400> 13

Met Asn Gly Pro Ile Ile Met Thr Arg Glu Glu Arg Met Lys Ile Val
1 5 10 15

His Glu Ile Lys Glu Arg Ile Leu Asn Lys Tyr Gly Asp Asp Val Lys
20 25 30

Ala Ile Gly Val Tyr Gly Ser Leu Gly Arg Gln Thr Asp Gly Pro Tyr
35 40 45

Ser Asp Ile Glu Met Met Cys Val Leu Ser Thr Glu Gly Val Glu Phe
50 55 60

Ser His Glu Trp Thr Thr Gly Glu Trp Lys Ala Glu Val Asn Phe Tyr
65 70 75 80

Ser Glu Glu Ile Leu Leu Asp Tyr Ala Ser Gln Val Glu Pro Asp Trp
85 90 95

Pro Leu Thr His Gly Arg Phe Phe Ser Ile Leu Pro Ile Tyr Asp Ser
100 105 110

Gly Gly Tyr Leu Gly Lys Val Tyr Gln Thr Ala Lys Ser Val Glu Ala
115 120 125

Gln Lys Phe His Asp Ala Ile Cys Ala Leu Ile Val Glu Glu Leu Phe
130 135 140

Glu Tyr Ala Gly Lys Trp Arg Asn Ile Arg Val Gln Gly Pro Thr Thr
145 150 155 160

Phe Leu Pro Ser Leu Thr Val Gln Val Ala Met Ala Gly Ala Met Leu
165 170 175

Ile Gly Leu His His Arg Ile Cys Tyr Thr Thr Ser Ala Leu Val Leu
 180 185 190

Thr Glu Ala Val Lys Gln Ser Asp Leu Pro Ser Gly Tyr Asp His Leu
 195 200 205

Cys Gln Leu Val Met Ser Gly Gln Leu Ser Asp Ser Glu Lys Leu Leu
 210 215 220

Glu Ser Leu Glu Asn Phe Trp Asn Gly Ile Gln Glu Trp Thr Glu Arg
 225 230 235 240

His Gly Tyr Ile Val Asp Val Ser Lys Arg Ile Pro Phe
 245 250

<210> 14

<211> 253

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Mutant enzyme
 obtained by introduction of point mutation into
 wild type KNT gene of Staphylococcus aureus and
 its expression

<400> 14

Met Asn Gly Pro Ile Ile Met Thr Arg Glu Glu Arg Met Lys Ile Val
 1 5 10 15

His Glu Ile Lys Glu Arg Ile Leu Asp Lys Tyr Gly Asp Asp Val Lys
 20 25 30

Ala Ile Gly Val Tyr Gly Ser Leu Gly Arg Gln Thr Asp Gly Pro Tyr
 35 40 45

Ser Asp Ile Glu Met Met Cys Val Met Ser Thr Glu Gly Ala Glu Phe
 50 55 60

Ser Tyr Glu Trp Thr Thr Gly Glu Trp Lys Ala Glu Val Asn Phe Tyr
 65 70 75 80

Ser Glu Glu Ile Leu Leu Asp Tyr Ala Ser Arg Val Glu Pro Asp Trp
 85 90 95

Pro Leu Thr His Gly Arg Phe Phe Ser Ile Leu Pro Ile Tyr Asp Ser
 100 105 110

Gly Gly Tyr Leu Glu Lys Val Tyr Gln Thr Ala Lys Ser Val Glu Ala
 115 120 125

Gln Lys Phe His Asp Ala Ile Cys Ala Leu Ile Val Glu Glu Leu Phe
 130 135 140

Glu Tyr Ala Gly Lys Trp Arg Asn Ile Arg Val Gln Gly Pro Thr Thr
 145 150 155 160

Phe Leu Pro Ser Leu Thr Val Gln Val Ala Met Ala Gly Ala Met Leu
165 170 175

Ile Gly Leu His His Arg Ile Cys Tyr Thr Thr Ser Ala Ser Val Leu
180 185 190

Thr Glu Ala Val Lys Gln Pro Asp Leu Pro Ser Gly Tyr Asp His Leu
195 200 205

Cys Gln Phe Val Met Ser Gly Gln Leu Ser Asp Ser Glu Lys Leu Leu
210 215 220

Glu Ser Leu Glu Asn Phe Trp Asn Gly Val Gln Glu Trp Thr Glu Arg
225 230 235 240

His Gly Tyr Ile Val Asn Val Ser Lys Arg Ile Pro Phe
245 250

<210> 15

<211> 253

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Mutant enzyme
obtained by introduction of point mutation into
wild type KNT gene of Staphylococcus aureus and
its expression

<400> 15

Met Ser Gly Pro Ile Ile Met Thr Arg Glu Glu Arg Met Lys Ile Val
1 5 10 15

His Glu Ile Lys Glu Arg Ile Leu Asp Lys Tyr Gly Asp Asp Val Lys
20 25 30

Ala Ile Gly Val Tyr Gly Ser Leu Gly Arg Gln Thr Asp Gly Pro Tyr
35 40 45

Ser Asp Ile Glu Met Met Cys Val Met Ser Thr Glu Gly Ala Glu Phe
50 55 60

Ser Tyr Glu Trp Thr Thr Gly Glu Trp Lys Ala Glu Val Asn Phe Tyr
65 70 75 80

Ser Glu Glu Ile Leu Leu Asp Tyr Ala Ser Arg Val Glu Ser Asp Trp
85 90 95

Pro Leu Thr His Gly Arg Phe Phe Ser Ile Leu Pro Ile Tyr Asp Pro
100 105 110

Gly Gly Tyr Phe Glu Lys Val Tyr Gln Thr Ala Lys Ser Val Glu Ala
115 120 125

Gln Lys Phe His Asp Ala Ile Cys Ala Leu Ile Val Glu Glu Leu Phe
130 135 140

Glu Tyr Ala Gly Lys Trp Arg Asn Ile Arg Val Gln Gly Pro Thr Thr
145 150 155 160

Phe Leu Pro Ser Leu Thr Val Gln Val Ala Met Ala Gly Ala Met Leu
165 170 175

Ile Gly Leu His His Arg Ile Cys Tyr Thr Thr Ser Ala Thr Val Leu
180 185 190

Thr Glu Ala Val Lys Leu Ser Asp Leu Pro Ser Gly Tyr Asp His Leu
195 200 205

Cys Gln Phe Val Met Ser Gly Gln Leu Ser Asp Ser Glu Lys Leu Leu
210 215 220

Glu Ser Leu Glu Asn Phe Trp Asn Gly Val Gln Glu Trp Thr Glu Arg
225 230 235 240

His Gly Tyr Ile Val Asp Val Ser Lys Arg Ile Pro Phe
245 250

<210> 16

<211> 253

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Mutant enzyme
obtained by introduction of point mutation into
wild type KNT gene of Staphylococcus aureus and
its expression

<400> 16

Met Asn Gly Pro Ile Ile Met Thr Arg Glu Glu Arg Met Lys Ile Val
1 5 10 15

His Glu Ile Lys Glu Arg Ile Leu Asp Lys Tyr Gly Asp Asp Val Lys
20 25 30

Ala Ile Gly Val Tyr Gly Ser Leu Gly Arg Gln Thr Asp Gly Pro Tyr
35 40 45

Ser Asp Ile Glu Met Met Cys Val Met Ser Thr Glu Glu Thr Glu Phe
50 55 60

Ser Tyr Glu Trp Thr Thr Gly Glu Trp Lys Ala Glu Val Asn Phe Tyr
65 70 75 80

Ser Glu Glu Ile Leu Leu Asp Tyr Ala Ser Arg Val Glu Pro Asp Trp
85 90 95

Pro Leu Thr His Gly Lys Phe Phe Ser Ile Leu Pro Ile Tyr Asp Thr
100 105 110

Gly Gly Tyr Leu Glu Lys Val Tyr Gln Thr Ala Lys Ser Val Glu Ala
115 120 125

Gln Lys Phe His Asp Ala Ile Cys Ala Leu Ile Val Glu Glu Leu Phe
130 135 140

Glu Tyr Ala Gly Lys Trp Arg Asn Ile Arg Val Gln Gly Pro Leu Thr
145 150 155 160

Phe Leu Pro Ser Leu Thr Val Gln Val Ala Met Ala Gly Ala Met Leu
165 170 175

Ile Gly Leu His His Arg Ile Cys Tyr Thr Thr Gly Ala Ser Val Leu
180 185 190

Thr Glu Ala Val Arg Gln Pro Asp Leu Pro Pro Gly Tyr Asp His Leu
195 200 205

Cys Gln Phe Val Met Ser Gly Gln Leu Ser Asp Ser Glu Lys Leu Leu
210 215 220

Glu Ser Leu Glu Asn Phe Trp Asn Gly Ile Gln Glu Trp Ala Glu Arg
225 230 235 240

His Gly Tyr Ile Val Asp Val Ser Lys Arg Ile Pro Phe
245 250

<210> 17

<211> 253

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Mutant enzyme
obtained by introduction of point mutation into
wild type KNT gene of Staphylococcus aureus and
its expression

<400> 17

Met Asn Gly Pro Ile Ile Met Thr Arg Glu Glu Arg Met Lys Ile Val
1 5 10 15

His Glu Ile Lys Glu Arg Ile Leu Asp Lys Tyr Gly Asp Asp Val Lys
20 25 30

Ala Ile Gly Val Tyr Gly Ser Leu Gly Arg Gln Thr Asp Gly Pro Tyr
35 40 45

Ser Asp Ile Glu Met Met Cys Val Met Ser Thr Glu Gly Ala Glu Phe
50 55 60

Ser Tyr Glu Trp Thr Thr Gly Glu Trp Lys Ala Glu Val Asn Phe Tyr
65 70 75 80

Ser Glu Glu Ile Leu Leu Asp Tyr Ala Ser Arg Val Glu Ser Asp Trp
85 90 95

Pro Leu Thr His Gly Arg Phe Phe Ser Ile Leu Pro Ile Tyr Asp Pro
100 105 110

Gly Gly Tyr Phe Glu Lys Val Tyr Gln Thr Ala Lys Ser Val Glu Ala
 115 120 125
 Gln Lys Phe His Asp Ala Ile Cys Ala Leu Ile Val Glu Glu Leu Phe
 130 135 140
 Glu Tyr Ala Gly Lys Trp Arg Asn Ile Arg Val Gln Gly Pro Thr Thr
 145 150 155 160
 Phe Leu Pro Ser Leu Thr Val Gln Val Ala Met Ala Gly Ala Met Leu
 165 170 175
 Ile Gly Leu His His Arg Ile Cys Tyr Thr Thr Ser Ala Ser Val Leu
 180 185 190
 Thr Glu Ala Val Lys Gln Pro Asp Leu Pro Ser Gly Tyr Val Gln Leu
 195 200 205
 Cys Gln Phe Val Met Ser Gly Gln Leu Ser Asp Ser Glu Lys Leu Leu
 210 215 220
 Glu Ser Leu Glu Asn Phe Trp Asn Gly Ile Gln Glu Trp Thr Glu Arg
 225 230 235 240
 His Gly Tyr Ile Val Asp Val Ser Lys Arg Ile Pro Phe
 245 250

<210> 18

<211> 253

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Mutant enzyme obtained by introduction of point mutation into wild type KNT gene of Staphylococcus aureus and its expression

<400> 18

Met Asn Gly Pro Ile Ile Met Thr Arg Glu Glu Arg Met Lys Ile Val
 1 5 10 15

His Glu Ile Lys Glu Arg Ile Leu Asp Lys Tyr Gly Asp Asp Val Lys
 20 25 30

Ala Ile Gly Val Tyr Gly Ser Leu Gly Arg Gln Thr Asp Gly Pro Tyr
 35 40 45

Ser Asp Ile Glu Met Met Cys Val Met Ser Thr Glu Gly Ala Glu Phe
 50 55 60

Ser Tyr Glu Trp Thr Thr Gly Glu Trp Lys Ala Glu Val Asn Phe Tyr
 65 70 75 80

Ser Glu Glu Ile Leu Leu Asp Tyr Ala Ser Arg Val Glu Ser Asp Trp
 85 90 95

Pro Leu Thr His Gly Arg Phe Phe Ser Ile Leu Pro Ile Tyr Asp Pro
 100 105 110

Gly Gly Tyr Phe Glu Lys Val Tyr Gln Thr Ala Lys Ser Val Glu Ala
 115 120 125

Gln Lys Phe His Asp Ala Ile Cys Ala Leu Ile Val Glu Glu Leu Phe
 130 135 140

Glu Tyr Ala Gly Lys Trp Arg Asn Ile Arg Val Gln Gly Pro Thr Thr
 145 150 155 160

Phe Leu Pro Ser Leu Thr Val Gln Val Ala Met Ala Gly Ala Met Leu
 165 170 175

Ile Gly Leu His His Arg Ile Cys Tyr Thr Thr Ser Ala Ser Val Leu
 180 185 190

Thr Glu Ala Val Lys Gln Pro Asp Leu Pro Ser Gly Tyr Val Gln Leu
 195 200 205

Cys Gln Phe Val Met Ser Gly Gln Leu Ser Asp Ser Glu Lys Leu Leu
 210 215 220

Glu Ser Leu Glu Asn Phe Trp Asn Gly Ile Gln Glu Trp Thr Glu Arg
 225 230 235 240

His Gly Tyr Ile Val Asp Val Ser Lys Arg Ile Pro Phe
 245 250

<210> 19

<211> 253

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Mutant enzyme
 obtained by introduction of point mutation into
 wild type KNT gene of Staphylococcus aureus and
 its expression

<400> 19

Met Asn Gly Pro Ile Ile Met Thr Arg Glu Glu Arg Met Lys Ile Val
 1 5 10 15

His Glu Ile Lys Glu Arg Ile Leu Asp Lys Tyr Gly Asp Asp Val Lys
 20 25 30

Ala Ile Gly Val Tyr Gly Ser Leu Gly Arg Gln Thr Asp Gly Pro Tyr
 35 40 45

Ser Asp Ile Glu Met Met Cys Val Met Ser Thr Glu Gly Ala Glu Phe
 50 55 60

Ser Tyr Glu Trp Thr Thr Gly Glu Trp Lys Ala Glu Val Asn Phe Tyr
 65 70 75 80

Ser	Glu	Glu	Ile	Leu	Leu	Asp	Tyr	Ala	Ser	Arg	Val	Glu	Pro	Asp	Trp
				85					90					95	
Pro	Leu	Thr	His	Gly	Lys	Phe	Phe	Ser	Ile	Leu	Pro	Ile	Tyr	Asp	Pro
			100					105					110		
Gly	Gly	Tyr	Leu	Glu	Lys	Val	Tyr	Gln	Thr	Ala	Lys	Ser	Val	Glu	Ala
		115					120						125		
Gln	Lys	Phe	His	Asp	Ala	Ile	Cys	Ala	Leu	Ile	Val	Glu	Glu	Leu	Phe
	130					135					140				
Glu	Tyr	Ala	Gly	Lys	Trp	Arg	Asn	Ile	Arg	Val	Gln	Gly	Pro	Thr	Thr
145					150					155					160
Phe	Leu	Pro	Ser	Leu	Thr	Val	Gln	Val	Ala	Met	Ala	Gly	Ala	Met	Leu
				165					170					175	
Ile	Gly	Leu	His	His	Arg	Ile	Cys	Tyr	Thr	Thr	Ser	Ala	Ser	Val	Leu
			180					185					190		
Thr	Glu	Ala	Val	Lys	Gln	Pro	Asp	Leu	Pro	Ser	Gly	Tyr	Val	Gln	Leu
		195					200					205			
Cys	Gln	Phe	Val	Met	Ser	Gly	Gln	Leu	Ser	Asp	Pro	Glu	Lys	Leu	Leu
	210					215					220				
Glu	Ser	Leu	Glu	Asn	Phe	Trp	Asn	Gly	Ile	Gln	Glu	Trp	Thr	Glu	Arg
225					230					235					240
His	Gly	Tyr	Ile	Val	Asp	Val	Ser	Lys	Arg	Ile	Pro	Phe			
				245					250						

```
<210> 20
<211> 253
<212> PRT
<213> Artificial Sequence
```

<220>
<223> Description of Artificial Sequence: Mutant enzyme obtained by introduction of point mutation into wild type KNT gene of Staphylococcus aureus and its expression.

```

<400> 20
Met Asn Gly Pro Ile Ile Met Thr Arg Glu Glu Arg Met Lys Ile Val
  1                               10                      15
His Glu Ile Lys Glu Arg Ile Leu Asp Lys Tyr Gly Asp Asp Val Lys
      20                      25                      30
Ala Ile Gly Val Tyr Gly Ser Leu Gly Arg Gln Thr Asp Gly Pro Tyr
      35                      40                      45
Ser Asp Ile Glu Met Met Cys Val Leu Ser Thr Glu Glu Ala Glu Phe
  50                      55                      60

```


Ser Tyr Glu Trp Thr Thr Gly Glu Trp Lys Ala Glu Val Asn Phe Tyr
 65 70 75 80
 Ser Glu Glu Ile Leu Leu Asp Tyr Ala Ser Arg Val Glu Pro Asp Trp
 85 90 95
 Pro Leu Thr His Gly Lys Phe Phe Ser Ile Leu Pro Ile Tyr Asp Pro
 100 105 110
 Gly Gly Tyr Leu Glu Lys Val Tyr Gln Thr Ala Lys Ser Val Glu Ala
 115 120 125
 Gln Lys Phe His Asp Ala Ile Cys Ala Leu Ile Val Glu Glu Leu Phe
 130 135 140
 Glu Tyr Ala Gly Lys Trp Arg Asn Ile Arg Val Gln Gly Pro Thr Thr
 145 150 155 160
 Phe Leu Pro Ser Leu Thr Val Gln Val Ala Met Ala Gly Ala Met Leu
 165 170 175
 Ile Gly Leu His His Arg Ile Cys Tyr Thr Thr Ser Ala Ser Val Leu
 180 185 190
 Thr Glu Ala Val Lys Gln Pro Asp Leu Pro Ser Gly Tyr Val Gln Leu
 195 200 205
 Cys Gln Phe Val Met Ser Gly Gln Leu Ser Asp Ser Glu Lys Leu Leu
 210 215 220
 Glu Ser Leu Glu Asn Phe Trp Asn Gly Ile Gln Glu Trp Thr Glu Arg
 225 230 235 240
 His Gly Tyr Ile Val Asp Val Ser Lys Arg Ile Pro Phe
 245 250